CLAIMS

4	TT 74 .			
1	1A/hat	10	claim	Ad 10.
	vviiai	. 1.5	CIAIL	

- 1 1. A method for estimating a potential performance of a codesign from an
- 2 executable specification, comprising the steps of:
- 3 (a) receiving commands relating to functions;
- 4 (b) compiling the commands into an executable hardware model;
- 5 (c) executing the model in a virtual operating environment;
- 6 (d) generating profiling data;
- 7 (e) analyzing the profiling data;
- 8 (f) outputting a list of data transfers between at least a portion of the functions; and
- 9 (g) outputting an estimate of running time of each function.
- 1 2. A method as recited in claim 1, further comprising the step of outputting a
- 2 number of operations performed by at least a portion of the functions.
- 1 3. A method as recited in claim 1, further comprising the step of outputting a
- 2 number of context switches between at least a portion of the functions.
- 1 4. A method as recited in claim 1, further comprising the step of outputting a graph
- 2 description file for allowing visualization of data flow.
- 1 5. A method as recited in claim 1, wherein the profiling data is output to an
- 2 analysis tool of a hardware/software co-design system.
- 1 6. A method as recited in claim 1, wherein the model is linked to an external
- 2 library.
- 1 7. A method as recited in claim 1, wherein the estimate of running time for each
- 2 function is for a running time on at least one generic platform.

- 1 8. A computer program product for estimating a potential performance of a
- 2 codesign from an executable specification, comprising:
- 3 (a) computer code for receiving commands relating to functions;
- 4 (b) computer code for compiling the commands into an executable hardware model;
- 5 (c) computer code for executing the model in a virtual operating environment;
- 6 (d) computer code for generating profiling data;
- 7 (e) computer code for analyzing the profiling data;
- 8 (f) computer code for outputting a list of data transfers between at least a portion of
- 9 the functions; and
- 10 (g) computer code for outputting an estimate of running time of each function.
- 1 9. A computer program product as recited in claim 8, further comprising computer
- 2 code for outputting a number of operations performed by at least a portion of the
- 3 functions.
- 1 10. A computer program product as recited in claim 8, further comprising computer
- 2 code for outputting a number of context switches between at least a portion of
- 3 the functions.
- 1 11. A computer program product as recited in claim 8, further comprising computer
- 2 code for outputting a graph description file for allowing visualization of data
- 3 flow.
- 1 12. A computer program product as recited in claim 8, wherein the profiling data is
- 2 output to an analysis tool of a hardware/software co-design system.
- 1 13. A computer program product as recited in claim 8, wherein the model is linked
- 2 to an external library.

2

library.

1 14. A computer program product as recited in claim 8, wherein the estimate of 2 running time for each function is for a running time on at least one generic 3 platform. 1 15. A system for estimating a potential performance of a codesign from an 2 executable specification, comprising: 3 (a) logic for receiving commands relating to functions; 4 (b) logic for compiling the commands into an executable hardware model; 5 (c) logic for executing the model in a virtual operating environment; 6 (d) logic for generating profiling data; 7 (e) logic for analyzing the profiling data; 8 (f) logic for outputting a list of data transfers between at least a portion of the 9 functions; and 10 (g) logic for outputting an estimate of running time of each function. 16. 1 A system as recited in claim 15, further comprising logic for outputting a 2 number of operations performed by at least a portion of the functions. 1 17. A system as recited in claim 15, further comprising logic for outputting a 2 number of context switches between at least a portion of the functions. 1 18. A system as recited in claim 15, further comprising logic for outputting a graph 2 description file for allowing visualization of data flow. 1 19. A system as recited in claim 15, wherein the profiling data is output to an 2 analysis tool of a hardware/software co-design system. 1 20. A system as recited in claim 15, wherein the model is linked to an external

- 1 21. A system as recited in claim 15, wherein the estimate of running time for each
- 2 function is for a running time on at least one generic platform.